

CO₂ MONITOR

Personal CO₂ Safety Monitor



The SAN-10 Personal 5% CO₂ Safety Monitor is designed for employees who work around CO₂ or in enclosed areas where carbon dioxide buildup may cause personal injury. It is designed to alert people when they are in an area that contains an excessive amount of carbon dioxide gas.

The SAN-10 5% Personal Safety Monitor features a man down alarm that is triggered when an employee fall occurs. It also includes a high impact strobe, powerful audible notification and a vigorous vibrator.

The SAN-10 Personal 5% CO₂ Safety Monitor is shipped fully tested and calibrated and, with proper use will provide years of reliable service.

SPECIFICATIONS Specifications subject to change without notice

Measurement Range	0-5% CO ₂
Accuracy	± 40ppm or ± 3% of reading
Measurement Interval	every 2 seconds
Operating Temperature	0°-140° F
Battery	Li-Ion 4.2V, 1000 mAh
Sensor Life Expectancy	15 years
Part no.	SAN-10

- Real time, accurate 0-5% CO₂ level
- Audible, visual strobe and vibrating alarms
- Man down alarm – leverages accelerometer technology
- Rugged design with protective rubber enclosure
- Heavy duty metal clip
- Rechargeable Li-Ion battery – 12+ hours per charge
- Large LCD display: CO₂, temperature, %RH
- Calibratable using nitrogen or ambient air
- P54 housing protects against dust and rain
- Programmable alarm settings