

13. Ordering Information

GAS NAME		MESURING RANGE	TLV-TWA
Acetic Acid	CH_3COOH	0 ~ 30 ppm	10 ppm
Ammonia	NH_3	0 ~ 75 ppm	25 ppm
Antimony Pentachloride	SbCl_5	0 ~ 15 ppm	5 ppm
Arsetic Tafluoride	AsF_3	0 ~ 9 ppm	3 ppm
Arsetic Pentafluoride	AsF_5	0 ~ 9 ppm	3 ppm
Arsenic Trichloride	AsCl_3	0 ~ 15 ppm	5 ppm
Arsenic Pentachloride	AsCl_5	0 ~ 15 ppm	5 ppm
Arsine	AsH_3	0 ~ 0.3 ppm	0.05 ppm
Boron Trichloride	BCl_3	0 ~ 15 ppm	5 ppm
Boron Tribromide	BBr_3	0 ~ 9 ppm	3 ppm
Boron Trifluoride	BF_3	0 ~ 9 ppm	3 ppm
Bromine	Br_2	0 ~ 1 ppm	0.1 ppm
Chlorine	Cl_2	0 ~ 3 ppm	1 ppm
Carbon Tetrachloride	CCl_4	0 ~ 30 ppm	5 ppm
Carbon Monoxide	CO	0 ~ 150 ppm	25 ppm
Chlorine Tetrafluoride	ClF_3	0 ~ 1 ppm	0.1 ppm
Diborane	B_2F_6	0 ~ 0.3 ppm	0.1 ppm
Dichlorosilane	SiH_2Cl_2	0 ~ 15 ppm	5 ppm
Disilane	Si_2H_6	0 ~ 15 ppm	5 ppm
Ethylene Oxide	$\text{C}_2\text{H}_4\text{O}$	0~30ppm	1ppm
Fluorine	F_2	0 ~ 3 ppm	1 ppm
Germane	GeH_4	0 ~ 2 ppm	0.2 ppm
Germanium Tetrachloride	GeCl_4	0 ~ 15 ppm	5 ppm
Hydrazine	N_2H_4	0 ~ 10 ppm	0.01 ppm
Hydrogen	H_2	0 ~ 2000 ppm	LEL=4%VOL
Hydrogen Bromide	HBr	0 ~ 9 ppm	3 ppm
Hydrogen Chloride	HCl	0 ~ 15 ppm	5 ppm
Hydrogen Cyanide	HCN	0 ~ 30 ppm	10 ppm
Hydrogen Fluoride	HF	0 ~ 9 ppm	3 ppm
Hydrogen Iodine	HI	0 ~ 5 ppm	2 ppm
Hydrogen Selenide	H_2Se	0 ~ 0.2 ppm	0.05 ppm
Hydrogen Sulfide	H_2S	0 ~ 30 ppm	10 ppm
Iodine	I_2	0 ~ 1 ppm	0.1 ppm
Isopropyl Alcohol(IPA)	$\text{CH}_3\text{CHOHCH}_3$	0 ~ 2000 ppm	400 ppm
Molybdenum Fluoride	MoF_6	0 ~ 9 ppm	3 ppm
Nitric Acid	HNO_3	0 ~ 20 ppm	2 ppm
Nitrogen Monoxide	NO	0 ~ 100 ppm	25 ppm
Nitrogen Dioxide	NO_2	0 ~ 15 ppm	3 ppm
Nitrogen Trifluoride	NF_3	0 ~ 30 ppm	10 ppm
Nitrogen Tetraoxide	N_2O_4	0 ~ 15 ppm	3 ppm
Oxygen	O_2	0 ~ 25% Volume	-
Ozone	O_3	0 ~ 1 ppm	0.1 ppm

GAS NAME		MESURING RANGE	TLV-TWA
Phosgene	COCl_2	0 ~ 0.3 ppm	0.1 ppm
Phosphine	PH_3	0 ~ 1 ppm	0.3 ppm
Phosphorus Oxychloride	POCl_3	0 ~ 15 ppm	5 ppm
Phosphorus Pentafluoride	PF_5	0 ~ 9 ppm	3 ppm
Phosphorus Trichloride	PCl_3	0 ~ 15 ppm	5 ppm
Silane	SiH_4	0 ~ 15 ppm	5 ppm
Silicon Tetrachloride	SiCl_4	0 ~ 15 ppm	5 ppm
Silicon Tetrafluoride	SiF_4	0 ~ 9 ppm	3 ppm
Sulfur Dioxide	SO_2	0 ~ 10 ppm	2 ppm
Sulfur Tetrafluoride	SF_4	0 ~ 9 ppm	3 ppm
Sulfur Hexafluoride	SF_6	0 ~ 2000 ppm	
Tantalum Fluoride	TaF_5	0 ~ 9 ppm	3 ppm
Tetraethyl Orthosilicate	TEOS	0 ~ 15 ppm	10 ppm
Tin Tetrachloride	SnCl_4	0 ~ 15 ppm	5 ppm
Titanium Fluoride	TiF_4	0 ~ 9 ppm	3 ppm
Titanium Tetrachloride	TiCl_4	0 ~ 15 ppm	5 ppm
Trichlorosilane	SiHCl_3	0 ~ 15 ppm	5 ppm
Trimethoxy Phosphate	$\text{P}(\text{OCH}_3)_3$	0 ~ 15 ppm	2 ppm
Tungsten Hexafluoride	WF_6	0 ~ 9 ppm	3 ppm